



**NOTES**

- ① PAVEMENT STRUCTURAL SECTION SHALL BE INDICATED ON THE CONSTRUCTION PLANS AND SHALL BE DETERMINED BY A SOIL TEST UTILIZING THE TRAFFIC INDEX PROVIDED BY THE CITY ENGINEER AND MAXIMUM R-VALUE OF 50. IF THE RECOMMENDED STRUCTURAL SECTION DIFFERS FROM STANDARD DRAWING NO. 1011, THE THICKER SECTION OF THE TWO SHALL BE CONSTRUCTED.
- ② CONSTRUCT TYPE "B" CURB PER STANDARD DRAWING NO. 1201.
- ③ CONSTRUCT SIDEWALK PER STANDARD DRAWING NO. 1210.
- ④ SEE MASTER PLAN OF STREETS AND HIGHWAYS FOR LANE CONFIGURATION.



APPROVED BY:				
<i>Louis Abi-Younes</i> 44485 10-19-12				
LOUIS ABI-YOUNES, CITY ENGINEER RCE DATE				
RECOMMENDED:				
<i>Raymond Lee</i> 59059 10/17/12				
RAYMOND LEE, ASSISTANT CITY ENGINEER RCE DATE				
REV	DESCRIPTION	BY	APP'D	DATE

CITY OF ONTARIO		STANDARD DRAWING NUMBER <b>1054</b>
64 - FOOT COLLECTOR STREET SECTION		